TEMPORARY

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAR 2 9 1990					
	urned to applicant for correction JUL 1 9 1990				
	rected application filed				
	The applicant City of Reno, Nevada				
	P.O. Box 1900 of Reno Street and No. or P.O. Box No. City or Town				
	Nevada 89505 hereby make application for permission to change the				
	Point of Diversion, and Manner of Use Point of diversion, manner of usc, and/or place of use				
of v	vater heretofore appropriated under. Portions of Orr Ditch Decree Claims Nos. 485, 487, Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and				
	188 Quitclaimed to the City of Reno by Dermody Properties and G & M Properties,				
	as filed at the Office of the County Recorder, Washoe County, Nevada, Document No.				
1	367054				
1	The source of water is Boynton Slough Name of stream lake undersmund spring or other source.				
	Traine of steam, lake, who ground spring or other source.				
	The amount of water to be changed 450 acre-feet. Second feet, acre feet. One second foot equals 448.83 gallons per minute.				
3.	The water to be used for Recreation - (Golf Course Irrigation) Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.				
4.	The water heretofore permitted for Irrigation Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.				
5.	The water is to be diverted at the following point NE SW Section 22, T19N, R20E M.D.M. from Describe as being within a 40-acre subdivision of public survey and by course and				
	which the ½ corner common to Sections 21 and 22, T19N, R20E bears N73° 30' W distance to a section corner. If on unsurveyed land, it should be stated.				
	1,910 feet.				
6.	The existing permitted point of diversion is located within Claim No. 485 NE NW Section 32 T19N R20E M.D.M. Jones Ditch: Thomas Creek Claim No. If point of diversion is not changed, do not answer. 487 NE SE Section 28 T19N R20E M.D.M. West from Steamboat Claim No. 488 NE SE				
	Section 28 T19N R20E M.D.M. East from Steamboat				
7.	Proposed place of use NE ¹ / ₄ SE ¹ / ₄ , SE ¹ / ₄ SE ¹ / ₄ , Section 21 NW ¹ / ₄ SW ¹ / ₄ , NE ¹ / ₄ SW ¹ / ₄ , SW ¹ / ₄ SW ¹ / ₄ , SE ¹ / ₄ SW ¹ / ₄ Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.				
	Section 22: NW1 NW1 Section 27 NW1 NE1, NE1 NE1, SW1 NE1, SE1 NE1 Section 28				
	All located in T19N R20E M.D.M. Proposed irrigation, 98.54 acres				
8.	Existing place of use Same as proposed place of use. Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or				
	manner of use of irrigation permit, describe acreage to be removed from irrigation.				
9.	Use will be from April 1 to October 15 of each year. Month and Day Month and Day				
	Use was permitted from				
11.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and				
	specifications of your diversion or storage works.) Sprinkler irrigation from Boynton Slough feed by three vertical turbine pumps (250 GPM 25 HP, 500 GPM 50 HP, 750 GPM 60 HP) ditches, pipes and flumes, or drilled well, etc.				
12.	Estimated cost of works \$500,000				
13.	Estimated time required to construct works None. Channel Improvements, Irrigation Pond(s) and pumps installed September 1989.				

14.	Estimated time required to complete the application	of water to beneficial use	two months		
15.	. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:				
	Recreation (Golf Course Irrigation	on) Please consider thi	s an application for		
	a temporary change pursuant to NRS	5 533.345 (1989). This	application is filed		
	concurrent with an application for				
		a permanente change this	s same date.		
		s/ illegible	***************************************		
			City Atty.		
Con	npared_am/cc	P.O. Box 1900 Reno, NV 8950	5		
Prot	tested				
		OF STATE ENGINEER			
exce	amount of water to be changed shall be limited to	ic feet per second			
	k must be prosecuted with reasonable diligence and				
Proo	of of completion of work shall be filed before				
Appl	lication of water to beneficial use shall be made on o	or before			
Proo	of of the application of water to beneficial use shall b	e filed on or before			
Мар	in support of proof of beneficial use shall be filed o	on or before			
Comp	oletion of work filed IN	TESTIMONY WHEREOF, I,	·,		
Proof	of beneficial use filed	State Engineer of Nevada, have hereu			
		office, thisday ofday	,		
	ral map filed	A.D. 19			
Certif	ficate NoIssued	-14			
			State Engineer		